

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

What is claimed is:

1. (Currently Amended) A method of locating information sources in a network environment, comprising:
 - providing a data structure comprising a plurality of nodes and a plurality of key phrases wherein each node relates to at least one key phrase and wherein each key phrase correspond to at least one web page;
 - receiving a query containing at least one search term;
 - searching the data structure for key phrases matching the search term;
 - providing a link to at least one web page corresponding to the matching key phrases; and
 - providing a link to at least ~~one node~~ two nodes having a relation to at least one key phrase matching the search term whereby a user can browse the link from the node to find web pages related to the node.
2. (Original) The method recited in claim 1 wherein the data structure comprises a hierarchical data structure wherein the plurality of at least two nodes have a parent child relationship.
3. (Currently Amended) The method recited in claim 2 further comprising providing at least one link to a parent node of the at least ~~one node~~ two nodes whereby the user can browse on web pages related to the parent node.
4. (Original) The method as recited in claim 1 wherein each node may comprise a category.
5. (Original) The method as recited in claim 1 wherein each node may comprise a concept.

6. (Original) The method as recited in claim 1 wherein the web pages are maintained by web sites.
7. (Original) The method as recited in claim 6 wherein the web sites are part of an intranet.
8. (Original) The method as recited in claim 6 wherein the web sites are part of the Internet.
9. (Original) The method as recited in claim 1 wherein the data structure is maintained by a search engine.
10. (Original) The method as recited in claim 2 wherein the hierarchical data structure is a directed graph.
11. (Original) The method as recited in claim 1 wherein the query is a refined query selected from a set of nodes matching an initial search term.
12. Canceled.
13. (Currently Amended) A method for locating web sites in a computer network, comprising:
 - providing a search term to a search engine;
 - receiving a plurality of links to nodes related to the search term wherein each node has a relation to a plurality of web pages wherein the nodes relate to different concepts of the same search term;
 - receiving a plurality of links to web pages related to the search term;
 - whereby a user may select at least one link to a web page to display the related web page and select at least one link to nodes related to the search term to display a plurality of links to web pages related to the nodes.
14. (Original) The method as recited in claim 13 wherein said nodes comprise categories.

15. (Original) The method as recited in claim 13 wherein said nodes comprise concepts.

16. (Original) The method as recited in claim 13 wherein the further comprising receiving at least two links for broaden nodes, said broaden nodes having a parent - child relationship with one another wherein one of said broaden nodes has a relationship to the search term and wherein the other one of said broaden nodes has a parent relationship to the one of said broaden nodes whereby the user may select one of said broaden nodes to display at least one web page related to the selected broaden nodes.

17. (Original) The method as recited in claim 16 wherein the parent-child relationship is such that the parent node comprises web pages having a broader scope than the search term.

18. (Original) The method as recited in claim 13 wherein the web pages are maintained by a web site.

19. (Original) The method as recited in claim 18 wherein the web site is part of an intranet.

20. (Original) The method as recited in claim 18 wherein the web site is part of the Internet.

21. Canceled.

22. (Currently Amended) A system for locating web sites in a network, comprising:

a server computer having a directory of nodes wherein at least one node contains a plurality of web sites related to a first concept and a category related to the first concept and wherein the nodes are arranged in a hierarchical order such that a node having a concept narrower than the first concept is lower in the hierarchy and a node having a concept broader than the first concepts is higher in the hierarchy;

and wherein at least one other node contains a plurality of web sites related to a second concept and a category related to the second concept and wherein the nodes are

arranged in a hierarchical order such that a node having a concept narrower than the first concept is lower in the hierarchy and a node having a concept broader than the first concepts is higher in the hierarchy wherein the first and second concepts are related by a search term;

a client computer in communication with the server computer wherein when the client computer communicates [[a]] the search term related to the at least one node and the at least another node so that the client computer receives the plurality of web pages and the ~~category~~ categories related to the at least one node and the at least another node.

23. (Original) The system as recited in claim 22 wherein the network is an intranet.

24. (Original) The system as recited in claim 22 wherein the network is an Internet.

25. (Original) The system as recited in claim 22 comprising a second node wherein the second node is broader in concept than the at least one node.

26. (Original) The system as recited in claim 22 comprising a second node wherein the second node is narrower in concept than the at least one node.

27. (Original) The system as recited in claim 22 wherein the hierarchical order is in the form of a directed graph.